COMPLETE LISTING OF ALL CLAIMS IN THE APPLICATION

- (currently amended) A cationic polymer obtained by free-radical copolymerization of components consisting of
 - (a) from 50 to 70% by weight of one or more monomers of the formula I

$$\begin{array}{c|c}
R^1 \\
C \\
R^2
\end{array}$$

$$\begin{array}{c|c}
C \\
R^2
\end{array}$$

$$\begin{array}{c|c}
C \\
0
\end{array}$$

X = O, NR¹,

 $R^1 = H, C_1 - C_8 - alkyl,$

 R^2 = tert-butyl,

(b) from 5 to 45% by weight of one or more monomers of the formula II

$$CH_2 \xrightarrow{H} O$$

$$(II)$$

where n = 1 to 3,

- (c) from 5 to 40% by weight of a monoethylenically unsaturated monomer having at least one amine-containing group where up to 40% by weight, based on (a), (b), and (c), of the monomer (a) can be replaced by a monomer of the formula I where $R^2 = C_2 C_{22}$ -alkyl.
- (previously amended) A polymer as claimed in claim 1, obtained by free-radical copolymerization of

- (a) from 51 to 65% by weight of the monomer of the formula I,
- (b) from 7 to 39% by weight of the monomer of the formula II,
- (c) from 10 to 30% by weight of the amine-containing monomer.
- 3. (previously amended) A polymer as claimed in claim 1, wherein the monomer (a) is tert-butyl acrylate, N-tert-butylacrylamide or tert-butyl methacrylate.
- 4. (previously amended) A polymer as claimed in claim 1, wherein the monomer (b) is vinylpyrrolidone or vinylcaprolactam.
- 5. (previously amended) A polymer as claimed in claim 1, wherein the monomer (c) is dimethylaminoalkyl (meth)acrylate or dimethylaminoalkyl (meth)acrylamide.
- 6. (original) A polymer as claimed in claim 1, wherein the monomers of the formula I where $R^2 = C_2 C_{22}$ -alkyl are N-butylacrylamide, N-octylacrylamide, lauryl (meth)acrylate or stearyl (meth)acrylate.
- 7. (previously amended) A method of using the polymers as claimed in claim 1 comprising the step of incorporating into cosmetic preparations the polymers as claimed in claim 1.
- 8. (previously amended) The method as claimed in claim 7 wherein the incorporation is made into a hair spray, foam setting compositions, hair mousse, hair gel or shampoos.
- 9. (previously amended) A cosmetic preparation comprising a polymer as claimed in claim 1 in an amount of from 0.1 to 30% by weight, based on the preparation.
- 10. (previously amended) A process for preparing the cosmetic preparation as claimed

.

- in claim 9, said process comprising partially or completely neutralizing said polymer with a monohydric acid.
- 11. (previously amended) The process as claimed in claim 10 wherein the polymer is partially or completely neutralized with a phosphoric acid or an acid mixture containing phosphoric acid.
- 12. (previously amended) A method of using polymers as claimed in claim 16 comprising the step of incorporating said polymers into hair cosmetics.
- 13. (previously amended) A hair cosmetic preparation comprising
 - (a) from 0.2 to 20% by weight of a polymer as claimed in claim 1,
 - (b) from 0 to 10% by weight of a conventional hair-setting polymer,
 - (c) from 0 to 1% by weight of a water-dispersible siloxane-containing compound,
 - (d) from 30 to 99.5% by weight of a solvent or solvent mixture of alcohol and water.
 - (e) from 0 to 60% by weight of a propellant comprising dimethyl ether or propane or butane, and
 - (f) from 0 to 0.3% by weight of a cosmetically suitable additive.
- 14. (previously amended) The method as claimed in claim 7 wherein the cosmetic preparations are cosmetic skin preparations.
- 15. (previously amended) The method as claimed in claim 14, wherein a fatty acid amide is additionally incorporated.

a ,, , , ,

- 16. (previously added) The polymer as claimed in claim 1 which has a glass transition temperature of > 25°C and a K value of from 25 to 70.
- 17. (previously added) The polymer as claimed in claim 16, wherein the K value is from 35 to 50.
- 18. (previously added) The process as claimed in claim 9, wherein said polymer is neutralized with a polyhydric or a polycarboxylic acid.
- 19. (previously added) The process as claimed in claim 9, wherein said polymer is quarternized with a quarternizing agent.